


| | |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <div style="text-align: center;">AGENDA ITEM SUMMARY</div> <div style="border: 1px dashed purple; padding: 5px; float: right; margin-top: 10px;"> District Impacted <input type="checkbox"/> 1 = Haberstroh <input type="checkbox"/> 2 = Woolard <input type="checkbox"/> 3 = Boyd <input type="checkbox"/> 4 = Cisneros <input type="checkbox"/> 5 = Bergmann <input checked="" type="checkbox"/> All </div> |
| DESCRIPTION: | Consider Resolution No. 2016-R03; A Resolution Authorizing The City Manager To Proceed With Purchases As Per Section 6.08 Of The City Of Boerne's Home Rule Charter. (14 <i>Automated External Defibrillators (AED)</i>). |
| STAFF'S RECOMMENDED ACTION (be specific) | Approve Purchase of replacement AED Units. |
| SUMMARY | <p>There are currently 14 Automated External Defibrillators (AED) that the City owns that will no longer be able to be updated or calibrated by the manufacturer. Without the updates and calibration these units cannot be certified to function correctly and must be retired from service. The AED's are located within City facilities, parks, and vehicles. All city employees are trained how to use the AED and perform CPR on individuals in cardiac arrest.</p> <p>The purchase will be for 10 Lifepak CR plus units with child/infant capability and 4 Lifepak 1000s (with child/infant capability) for the Police Department. The 14 units that will be retired are being traded in for a \$3,500 credit.</p> <p>A budget line item of \$28,000 was approved for the 2015-2016 FY by Council and we request to spend the amount of \$25,771.32 to purchase the 14 replacement units.</p> |
| COST | \$25771.32 |
| SOURCE OF FUNDS | Line Item in FY2015-2016 Budget |
| ADDITIONAL INFORMATION | |

This summary is not meant to be all inclusive. Supporting documentation is attached.