



Front View - Scale: 3/8"=1'-0"

Specifications:

Manufacture and instal (1) new  
D/F Monument sign as shown.

Aluminum construction, ptd as shown (colors to match building)  
3/16" white plexi with 3m vinyl graphics  
Trinity Orthopedic to be inkjet vinyl  
CryoFit - 3m3630-61 slate gray, 3m3630-106 brilliant green

internally illuminated by h-o lamps.

limestone base



2438 FREEDOM DRIVE + SAN ANTONIO, TX 78217 + PH: 210.826.2800  
FAX: 210.477.2323 + WWW.AETNASIGN.COM + FOLLOW US ON

CLIENT:	Trinity Orthopedic	DRWG#:	3173
ADDRESS:	E Bandera Rd/S Main	SALES REP:	Jeanette M.
CITY:	Boerne, Texas	DESIGNER:	Arnie V.
DATE:	7-28-16	CLIENT APPROVAL:	

COMPUTER FILE: art\drwg\misc\3173\_Trinity Orthopedic  
REVISION HISTORY: 8-1-16,8-9-16

Unpublished Work. Aetna Sign Group, LTD. All rights reserved. This is an original drawing created by Aetna Sign Group, LTD. It is submitted for your personal use; however, it shall at all times remain the property of Aetna Sign Group, LTD. It may be used in connection with the project being planned for you by Aetna Sign Group, LTD., but not otherwise. ©2013 AETNA SIGN GROUP, LTD.  
**You are not authorized to show this drawing to anyone outside your organization, nor is it to be reproduced, used, copied, or exhibited in any fashion. Violation of any of the above shall subject the violator(s) to all statutory and common law damages available to Aetna Sign Group, LTD., including, but not limited to, the value of man hours incurred in the production of this design, attorney's fees, and any and all other costs incurred by Aetna Sign Group, LTD. in the enforcement of it's copyrights.**

National Building Codes now states all signs that utilize neon transformers, sized at 7,500 volts and up, must utilize UL2161 (GFI) transformers. This type of transformer must have a dedicated electrical (GFI) circuit with ground for the transformer to work. You are responsible to have the proper electrical service to the sign location. Please contact your Aetna Sign Group representative if you need additional information.

All signs will be manufactured to accommodate 120 volt current unless otherwise instructed by customer. Note: Aetna will supply transformers, boxes, disconnects, switches & letters. Installers are to provide all other necessary hardware to accomplish installation.