

	<div style="text-align: center;">AGENDA ITEM SUMMARY</div> <div style="border: 1px dashed purple; padding: 5px; float: right; margin-top: 10px;"> District Impacted <input type="checkbox"/> 1 = Anzollitto <input type="checkbox"/> 2 = Woolard <input type="checkbox"/> 3 = Boyd <input type="checkbox"/> 4 = Cisneros <input type="checkbox"/> 5 = Colvin <input checked="" type="checkbox"/> All </div>
AGENDA DATE	November 14, 2017
DESCRIPTION	CONSIDER RESOLUTION NO. 2017-R108; A RESOLUTION AUTHORIZING THE CITY MANAGER TO PROCEED WITH PURCHASES AS PER SECTION 6.08 OF THE CITY OF BOERNE'S HOME RULE CHARTER. <i>(Two network firewalls for the IT Department for use at the Police Department and City Hall)</i>
STAFF'S RECOMMENDED ACTION (be specific)	Approve Resolution No. 2017-R108; A Resolution authorizing the City Manager to proceed with purchases as per Section 6.08 of the City of Boerne's Home Rule Charter for a total not to exceed \$18,584.00. <i>(Two network firewalls for the IT Department for use at the Police Department and City Hall)</i>
CONTACT PERSON	Mike Raute, IT Director
SUMMARY	<p>Information technology placed \$56,000.00 in the FY 2017-2018 budget to replace end-of-life hardware at the Police Department and City Hall. Our current SonicWall NSA 4500 firewalls at PD and City Hall will no longer be supported by SonicWall 5/15/2018. In order to maintain CJIS compliance with TX DPS, we must maintain all equipment affecting PD operations with factory support.</p> <p>We got quotes from three different vendors: Provantage, CDWG, and SHI. SHI was the lowest price and is a vendor we already use, so we are comfortable with purchasing from them.</p> <p>The old SonicWall NSA 4500 firewalls will be placed at the library for use as spares, since our long-term plan will be to have the library network integrated into the new City Hall, removing the need for them to have a separate firewall.</p>
COST	\$18,584.00
SOURCE OF FUNDS	Budgeted Item for FY 2017-2018
ADDITIONAL INFORMATION	

This summary is not meant to be all inclusive. Supporting documentation is attached.