



**CITY OF BOERNE
SIGN VARIANCE REQUEST FORM**

NAME: Alamo Sign Solutions, LLC

ADDRESS: 218 Saltillo Street San Antonio, Texas 78215

PHONE #: 210-310-6565 **EMAIL:** james@alamosignsolutions.com

NAME OF BUSINESS AND ADDRESS WHERE PROPOSED SIGN WILL BE LOCATED:

Albany Engineered Composites 1281 North Main Street Boerne, Texas

SECTION / ARTICLE OF ORDINANCE: _____

Section 10 BB Area of a self -supported sign shall not exceed: A. a single establishment-
thirty-two (32) square feet.

REASON FOR VARIANCE (attach if necessary): Albany would like to have larger signs for safety
reasons more than anything else. lack of visibility creates traffic concerns for drivers and employees

Please attach any additional information that might assist your request (i.e. site plan, drawings, photos, etc.)

Additional Comments (attach if necessary): _____

James Alfaro
Signature



11/2/17
Date

Fee must accompany variance request Fee Due: \$115.00

Return form with appropriate fee to:
78006

City Secretary
402 East Blanco Rd. Boerne TX
830.249.9511 ext. 1168

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.



Sign Monument | Side Faces and Returns



Item ②
Proposed Item ③ Total: 18.0 sq. ft.

Structural & Installation Detail

Scale: 3/4" = 1'-0"

APPROVED



UL LISTED

FACE SIDE A

1'-6" (18")

1'-4.75" 1.25"

Top of Sign

9'-0" (108") (Pipe Length)

4'-0" (48") (O.H.)

3'-3" (39") (Face)

1"

8"

3'-6" (42") Depth of footer as required

6"

Support pole steps 6" before bottom of concrete footer

20" dia.

Visitor Parking

ALERT

Explosives

Toggle Switch

Grade

Underground Metals

(A)

(B)

(C) Saddle

(D) Concrete Footer

(A) Steel Pipe Support
2" dia. to be determined by Engineer


(B) Sign Structural Framing
to be Steel Angle 1" x 1" x 3/16" thick

© Saddle Points

Electrical Licensed Contractor to bring Power to Sign from Power Panel within _____ of Sign, or based on State Requirements

W WIND RATING
Installation note: Steel Pipe and Installation is Rated for a Minimum of mph.

(S) SNOW RATING
Installation note: Steel Pipe
and Installation is Rated for a
[redacted] Lbs. / Square Foot



Sign Monument | Side Faces and Returns



FACE SIDE B

STREET END

FACE SIDE A

PROPERTY END



FACE SIDE B

STREET END

FACE SIDE A

PROPERTY END



All colors and finishes are graphically represented,
please refer to actual color and material samples.

DAY VIEW ILLUSTRATION A



Scale: 3/16" = 1'-0"

