

GATES ACROSS EASEMENT: DOUBLE SWING GATES WITH A MINIMUM CLEAR OPENING OF 12 FEET WIDE SHALL BE INSTALLED WHEREVER FENCES CROSS UTILITY AND DRAINAGE EASEMENTS.

OBSTRUCTIONS OF DRAINAGE: ADEQUATE STRUCTURES SHALL BE PROVIDED TO ALLOW THE UNHINDERED PASSAGE OF ALL STORM AND DRAINAGE FLOWS WHEREVER FENCES CROSS DRAINAGE EASEMENTS.

SIDEWALK NOTES: AT SUCH TIME AS A LOT IS DEVELOPED, AN EIGHT-FOOT WIDE REINFORCED CONCRETE SIDEWALK SHALL BE INSTALLED ADJACENT TO ALL PROPERTY LINES OF EACH LOT WHERE THE LOT ABUTS PUBLIC OR PRIVATE STREET.

IMPACT FEE ASSESSMENT:
ASSESSMENT AND COLLECTION OF THE CITY OF BOERNE WATER UTILITIES CAPITAL RECOVERY FEES SHALL BE THE AMOUNT PER LOT AS SET FORTH IN CITY ORDINANCE NO. 2017-13, SECTION 1.10 (5)

TAX CERTIFICATE: TAX CERTIFICATE AFFIDAVIT FILED THIS DATE IN VOLUME _____, PAGE _____, KENDALL COUNTY OFFICIAL

<u>HERITAGE LEGACY TREE:</u>
THERE ARE <u>2</u> HERITAGE LEGACY TREES, AS DEFINED IN SUBSECTION 2.02.002, IDENTIFIED ON THIS PLAT.

FEMA NOTE
A PORTION OF THE REFERENCED PROPERTY IS IN ZONE X, AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN, ZONE X (OTHER FLOOD AREAS), AREAS OF 0.2% ANNUAL CHANCE FLOOD; AREAS OF 1% ANNUAL CHANCE FLOOD WITH AVERAGE DEPTHS OF LESS THAN 1 FOOT OR WITH DRAINAGE AREAS LESS THAN 1 SQUARE MILE; AND AREAS PROTECTED BY LEVEES FROM 1% ANNUAL CHANCE FLOOD AND ZONE AE, SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD WITHOUT AND WITH BASE FLOOD ELEVATIONS AS SCALED FROM FEMA FLOOD MAP 415 OF 525, COMMUNITY PANEL NO. 48259C0415F, DATED DECEMBER 17, 2010.

SURVEYOR NOTES

- 1/2" DIAMETER REBAR WITH A BLUE PLASTIC CAP STAMPED "KFW SURVEYING" SET AT ALL
- BEARINGS ARE BASED ON THE STATE PLANE COORDINATE SYSTEM ESTABLISHED FOR THE
- THE COORDINATES SHOWN HEREON ARE GRID WITH A COMBINED SCALE FACTOR OF 1.000168.

<u>SETBACK NOTE</u> LOT SETBACK ARE DETERMINED BY THE CITY OF BOERNE ZONING ORDINANCE ENFORCED AT THE TIME OF DEVELOPMENT AND ARE BASED ON ZONING/LOT SIZE. UNLESS OTHERWISE IDENTIFIED, THE FRONT SETBACK FOR A PIE SHAPED LOT OR A LOT ON A CURVILINEAR STREET OR CUL-DE-SAC IS MEASURED WHEREVER THE LOT WIDTH MEETS FRONTAGE REQUIREMENTS FOR THE LOT CATEGORY

<u>OPEN SPACE NOTE</u>
THE AMOUNT OF OPEN SPACE REQUIRED SHALL BE EQUAL TO 5% OF ALL BUILDING FOOTPRINTS AND AREAS OF IMPERVIOUS SURFACE DEDICATED TO VEHICLE ACCESS AND PARKING

<u>OPEN SPACE LOT NOTE</u> INSTALLATION OF POTABLE WATER AND WASTEWATER SERVICES TO OPEN SPACE LOTS MAY BE PERFORMED BY THE DEVELOPER, AT HIS OPTION, AS PART OF THE OVERALL INFRASTRUCTURE DESIGN/CONSTRUCTION PROCESS BASED UPON THE NEED FOR THOSE SERVICES ON INDIVIDUAL LOTS. IF POTABLE WATER OR WASTEWATER SERVICES ARE NOT INITIALLY INSTALLED BUT ARE DESIRED SUBSEQUENT TO THE SUBDIVISION INFRASTRUCTURE DEVELOPMENT, THE SERVICE APPLICANT SHALL BE FINANCIALLY RESPONSIBLE FOR THE ENTIRETY OF THE DESIGN AND INSTALLATION COSTS FOR THESE SERVICES. IN SOME INSTANCES, THIS WORK MAY ALSO INCLUDE THE EXTENSION OF UTILITY MAINS TO PROPERLY LOCATE THE DESIRED UTILITY SERVICES.

N72°49'09"W

<u>DETAIL "D"</u> 1" = 100'

DETAIL "A"

1" = 50'

<u>EASEMENT NOTES:</u> ALL PROPERTIES DESIGNATED AS EASEMENTS SHALL OR MAY BE UTILIZED FOR THE

DRAINAGE EASEMENT: DRAINAGE, WATER DIVERSION, AND SANITARY CONTROL, INCLUDING WITHOUT LIMITATION, WALLS, BEDS, EMBANKMENTS, SPILLWAYS, APPURTENANCES, AND OTHER ENGINEERED DEVICES (THE "DRAINAGE

TOGETHER WITH THE RIGHT OF INGRESS AND EGRESS OVER PASSABLE AREAS OF THE GRANTOR'S ADJACENT LAND, WHEN THE DELINEATED ENTRANCE POINT THAT ABUTS PUBLIC RIGHT-OF-WAY IS OBSTRUCTED AND/OR INACCESSIBLE, EITHER IN WHOLE OR IN PART. IN ORDER TO ACCESS OR LEAVE THE EASEMENT FOR THE PURPOSE OF CONSTRUCTING, RECONSTRUCTING, INSPECTING, PATROLLING, OPERATING, MAINTAINING, REPAIRING, AND REMOVING THE DRAINAGE SYSTEM; THE RIGHT TO CHANGE THE SIZE OF THE DRAINAGE SYSTEM WITHIN THE EASEMENT, THE RIGHT TO RELOCATE ALONG THE SAME GENERAL DIRECTION OF THE DRAINAGE SYSTEM: THE RIGHT TO CREATE AND/OR DREDGE A STREAM COURSE, REFILL, OR DIG OUT SUCH STREAM COURSE, ESTABLISH OR CHANGE STREAM EMBANKMENTS WITHIN THE EASEMENT, INSTALL STORM SEWER SYSTEMS, CULVERTS, WATER GAPS, AND PROTECTING RAILS; THE RIGHT TO REMOVE FROM THE EASEMENT ALL TREES AND PARTS THEREOF, OR OTHER OBSTRUCTIONS, WHICH REASONABLY ENDANGER OR MAY REASONABLY INTERFERE WITH THE EFFICIENCY OF THE DRAINAGE SYSTEM; AND THE RIGHT TO PLACE TEMPORARY STRUCTURES FOR USE IN CONSTRUCTING OR REPAIRING THE DRAINAGE SYSTEM.

WITH RESPECT TO THE DRAINAGE SYSTEM, IT IS EXPRESSLY AGREED AND UNDERSTOOD BY ALL PARTIES HERETO, THAT THE INTENTION IS TO IMPROVE CONDITIONS OF SANITATION AND WATER DRAINAGE CONTROL ON THE PROPERTY FOR THE BENEFIT OF THE PROPERTY, ADJACENT PROPERTY, AND THE COMMUNITY, BUT THE CITY DOES NOT GUARANTEE OR WARRANT THAT SUCH CONTROL WORK WILL BE EFFECTIVE, NOR DOES THE CITY ASSUME ANY ADDITIONAL LIABILITY WHATSOEVER FOR THE EFFECTS OF FLOOD, STANDING WATER, OR DRAINAGE ON OR TO THE PROPERTY, OR ANY OTHER PROPERTY OR PERSONS THAT MIGHT BE AFFECTED BY SAID STREAM, WASH, OR GULLY IN ITS NATURAL STATE OR AS

- 1. THE GRANTOR SPECIFICALLY RESERVES THE RIGHT TO USE ALL OR ANY PART OF THE EASEMENT FOR ANY PURPOSE, WHICH DOES NOT DAMAGE, DESTROY, INJURE, AND/OR UNREASONABLY INTERFERE WITH THE GRANTEE'S USE OF THE
- 2. THE GRANTEE SHALL MAKE COMMERCIALLY REASONABLE EFFORTS TO ENSURE THE DAMAGE TO THE PROPERTY IS MINIMIZED AND WILL AT ALL TIMES, AFTER DOING ANY WORK IN CONNECTION WITH THE DRAINAGE SYSTEM, RESTORE THE PROPERTY TO THE CONDITION IN WHICH THE PROPERTY WAS FOUND REFORE SUCH WORK WAS UNDERTAKEN TO THE EXTENT THAT SUCH RESTORATION IS REASONABLE IN ACCORDANCE WITH THE GRANTEE'S USUAL AND CUSTOMARY
- 3. THE GRANTEE SHALL MAKE NECESSARY MODIFICATIONS AND IMPROVEMENTS TO CONFORM WITH THE CITY OF BOERNE DRAINAGE POLICY AND PLAN AT SUCH A TIME AS THE SAID PLAN AND POLICY ARE ENACTED BY CITY COUNCIL OF THE

UTILITY EASEMENT:

UTILITIES, INCLUDING, WITHOUT LIMITATION, SEWER, WATER, GAS, ELECTRICITY, TELEPHONE, AND CABLE TELEVISION, WITH ALL NECESSARY AND/OR DESIRABLE LINES, LATERALS AND/OR APPURTENANCES THERETO

TOGETHER WITH THE RIGHT OF INGRESS AND EGRESS OVER PASSABLE AREAS OF THE GRANTOR'S, ADJACENT LAND, WHEN THE DELINEATED ENTRANCE POINT THAT ABUTS PUBLIC RIGHT-OF-WAY IS OBSTRUCTED AND/OR INACCESSIBLE, EITHER IN WHOLE OR IN PART, IN ORDER TO ACCESS OR LEAVE THE EASEMENT FOR THE PURPOSE OF CONSTRUCTING, RECONSTRUCTING, INSPECTING, PATROLLING, OPERATING, MAINTAINING, REPAIRING, AND REMOVING THE UTILITIES; THE RIGHT TO PLACE NEW OR ADDITIONAL UTILITIES IN THE EASEMENT AND TO CHANGE THE SIZE OF THE UTILITIES WITHIN THE EASEMENT, THE RIGHT TO RELOCATE ALONG THE SAME GENERAL DIRECTION OF THE UTILITIES; THE RIGHT TO REMOVE FROM THE EASEMENT ALL TREES AND PARTS THEREOF, OR OTHER OBSTRUCTIONS, WHICH REASONABLY ENDANGER OR MAY REASONABLY INTERFERE WITH THE EFFICIENCY OR OPERATION OF THE UTILITIES; AND THE RIGHT TO PLACE TEMPORARY STRUCTURES FOR USE IN CONSTRUCTING OR REPAIRING THE UTILITIES.

- THE PROPERTY OWNER RETAINS THE RIGHT TO USE ALL OR ANY PART OF THE EASEMENT FOR ANY PURPOSE WHICH DOES NOT DAMAGE, DESTROY, INJURE, AND/OR UNREASONABLY INTERFERE WITH THE USE OF THE EASEMENT. HOWEVER, THE EASEMENT SHALL BE KEPT CLEAR OF ALL STRUCTURES OR
- THE CITY SHALL MAKE COMMERCIALLY REASONABLE EFFORTS TO ENSURE THAT DAMAGE TO THE PROPERTY IS MINIMIZED AND THE CITY WILL AT ALL TIMES, AFTER DOING ANY WORK IN CONNECTION WITH THE UTILITIES, RESTORE THE PROPERTY TO THE CONDITION IN WHICH THE PROPERTY WAS FOUND BEFORE SUCH WORK WAS UNDERTAKEN TO THE EXTENT THAT SUCH RESTORATION IS REASONABLE IN ACCORDANCE WITH THE CITY'S USUAL AND CUSTOMARY

N71°39'23"E 192.37'

DETAIL "C"

1" = 50'

_N12°20^{*}55"W 64.71'

REMAINDER OF 125.324 ACRES
CITY OF BOERNE.

<u>DETAIL "F"</u> 1" = 100'

NO PART OF THIS SUBDIVISION IS LOCATED UPSTREAM FROM A CITY WATER

FINAL PLAT

LEGACY AT CIBOLO UNIT 2

A 13.14 ACRE TRACT OF LAND, ESTABLISHING LOT 1, BLK 1 OF THE LEGACY AT CIBOLO UNIT 2 SUBDIVISION, SITUATED IN THE CITY OF BOERNE, TEXAS, OUT OF THE JOHN SMALL SURVEY NO. 183, ABSTRACT 441, KENDALL COUNTY, TEXAS AND BEING A PORTION OF A 32.609 ACRE TRACT OF LAND CONVEYED TO JAMES E. & DEBORAH A. ROERIG, OF RECORD IN VOLUME 607 PAGE 405 OF THE OFFICIAL PUBLIC RECORDS OF KENDALL COUNTY, TEXAS.






ACREAGE NOTES:

1. THE TOTAL ACREAGE OF PROPOSED SUBDIVISION IS 13.14 ACRES.

- 2. SUBDIVISION CONTAINS 1 LOT.
- 3. SUBDIVISION GROSS DENSITY IS 13.14 ACRES/LOT.
- 4. SMALLEST LOT SIZE 13.14 ACRES.
- 5. SUBDIVISION CONTAINS <u>0</u> OPEN SPACE LOTS.
- 6. OPEN SPACE LOT ACCOUNT FOR A TOTAL OF <u>0.00</u> ACRES.
- 7. TOTAL R.O.W. <u>0.00</u> ACRES.


DETAIL "B"

1" = 100'



PAGE 2 OF 3

Date: Aug 03, 2018, 1:32pm User ID: Aceja File: M:\547\01\01\Design\Civil\PLAT\Legacy at Cibolo Unit 2 Plat\PL5470101 - Unit 2.dwg DRAWN BY: MW



FINAL PLAT

LEGACY AT CIBOLO UNIT 2

A 13.14 ACRE TRACT OF LAND, ESTABLISHING LOT 1, BLK 1 OF THE LEGACY AT CIBOLO UNIT 2 SUBDIVISION, SITUATED IN THE CITY OF BOERNE, TEXAS, OUT OF THE JOHN SMALL SURVEY NO. 183, ABSTRACT 441, KENDALL COUNTY, TEXAS AND BEING A PORTION OF A 32.609 ACRE TRACT OF LAND CONVEYED TO JAMES E. & DEBORAH A. ROERIG, OF RECORD IN VOLUME 607 PAGE 405 OF THE OFFICIAL PUBLIC RECORDS OF KENDALL COUNTY, TEXAS.



LINE TABLE				
LINE#	LENGTH	DIRECTION		
L1	21.66'	N46°43'25"W		
L2	32.65'	N43°16'35"E		
L3	21.66′	S46°43'25"E		
L4	32.65'	S43°16'35"W		
L5	117.23'	S46°06'22"E		
L6	51.90'	S89°41'36"W		
L7	81.47'	N26°18'13"W		
L8	28.83'	S64°53'17"E		
L9	58.73'	S00°07'12"W		
L10	91.14'	S64°13'26"E		
L11	115.72'	S12°13'26"E		
L12	48.07'	S32°19'17"W		
L13	71.72'	N57°40'43"W		
L14	75.67'	N12°13'26"W		
L15	39.06′	N64°13'26"W		
L16	71.14'	N25°46'34"E		
L17	48.19'	S77°34'14"W		
L18	266.48' S12°13'26"E			
L19	48.79'	N79°17'34"E		
L20	40.87'	N80°22'30"E		

LINE TABLE			
LENGTH	DIRECTION		
23.67'	S09°25'05"E		
40.87'	S79°57′39″W		
23.96′	N09°25'05"W		
103.40'	S77°25'01"W		
103.43'	N12°13'26"W		
31.87'	N17°15'21"W		
114.78'	N39°46'34"E		
28.66′	S63°11'31"E		
20.92'	S51°57'30"W		
40.00'	S38°02'30"E		
90.67'	S00°34'44"W		
8.34'	S04°47'18"E		
77.71'	N42°53'34"W		
26.87'	N40°30'08"E		
31.73'	N49°29'52"W		
46.59'	S39°52'05"W		
20.66′	N20°19'04"W		
61.02'	N66°22'41"E		
41.93'	N77°39'05"E		
230.27'	N21°04'05"W		
	LENGTH 23.67' 40.87' 23.96' 103.40' 103.43' 31.87' 114.78' 28.66' 20.92' 40.00' 90.67' 8.34' 77.71' 26.87' 31.73' 46.59' 20.66' 61.02' 41.93'		

LINE TABLE				
LINE#	LENGTH	DIRECTION		
L41	46.89'	S12°20'55"E		
L42	176.03'	S26°50'42"E		
L43	52.11'	S66°15'23"W		
L44	20.69'	N62°51'05"E		
L45	235.04'	S23°44'37"E		
L46	499.28'	N66°15'14"E		
L47	242.25'	N23°44'37"W		
L48	520.36'	S66°15'23"W		
L49	20.05'	S26°50'42"E		

CURVE TABLE					
Curve #	LENGTH	RADIUS	DELTA	CHORD BRG	CHORD DIST
C5	7.07'	4.50'	90°00'00"	N01°43'25"W	6.36'
C6	7.07'	4.50'	90°00'00"	N88°16'35"E	6.36'
C7	7.07'	4.50'	90°00'00"	S01°43'25"E	6.36'
C8	7.07'	4.50'	90°00'00"	S88°16'35"W	6.36'
C9	23.82'	10.00'	136°27'52"	S21°27'40"W	18.57'
C10	16.76'	15.00'	64°00'12"	N58°18'19"W	15.90'
C11	41.94'	15.00'	160°11'51"	N53°47'43"E	29.55'
C12	92.51'	186.97'	28°21'05"	N22°01'56"W	91.57'
C13	10.74'	5.00'	123°04'27"	N53°34'29"E	8.79'
C14	19.86'	17.50'	65°00'29"	S32°23'03"E	18.81'
C15	12.13'	5.00'	138°59'34"	S69°36'59"W	9.37'
C16	37.92'	14.38'	151°03'39"	S74°08'44"W	27.85'
C17	41.23'	75.39'	31°19'59"	N12°00'23"W	40.71'
C18	34.48'	30.92'	63°53′58″	N32°34'31"W	32.72'
C19	35.43'	41.38'	49°03'45"	N37°03'36"W	34.36'
C20	40.38'	17.55'	131°50'32"	N53°23'33"E	32.04'
C21	37.61'	67.91'	31°43'37"	S44°49'23"E	37.13'
C22	83.67'	173.86'	27°34'29"	S15°10'20"E	82.87'
C23	15.74'	10.00'	90°12'26"	S54°31'18"E	14.17'
C24	15.60'	10.00'	89°22'43"	S35°16'17"W	14.07'

				_	
CURVE TABLE					
Curve #	LENGTH	RADIUS	DELTA	CHORD BRG	CHORD DIST
C25	15.82'	10.00'	90°37′17"	N54°43'43"W	14.22'
C26	15.67'	10.00'	89°47'34"	N35°28'42"E	14.12'
C27	56.78'	310.13'	10°29'26"	S19°53'17"E	56.70'
C28	64.32'	72.93'	50°32'01"	N11°00'20"W	62.26'
C29	109.82'	268.13'	23°28′01"	N18°25'09"W	109.05'
C30	41.73'	589.25'	4°03′28″	N06°22'00"W	41.72'
C31	56.71'	93.00'	34°56′22″	N26°15'58"W	55.83'
C32	35.87'	63.00'	32°37′06″	N59°56′27″W	35.38′
C33	30.57'	15.00'	116°45'09"	N17°52'26"W	25.55'
C34	14.47'	5.40'	153°29'23"	S36°52'37"E	10.51'
C35	20.78'	10.00'	119°04'41"	N79°51′24″W	17.24'
C36	16.34'	10.80'	86°41'46"	N23°01'49"E	14.83'
C37	45.53'	183.00'	14°15'19"	S57°57'40"W	45.41'