

	<div data-bbox="1235 218 1474 457"> <p>District Impacted</p> <p><input type="checkbox"/> 1 = Wolosin</p> <p><input type="checkbox"/> 2 = Woolard</p> <p><input type="checkbox"/> 3 = Scott</p> <p><input type="checkbox"/> 4 = Fowler</p> <p><input type="checkbox"/> 5 = Macaluso</p> <p><input checked="" type="checkbox"/> All</p> </div> <p style="text-align: center;">AGENDA ITEM SUMMARY</p>
AGENDA DATE	November 12, 2019
DESCRIPTION	CONSIDER RESOLUTION NO. 2019-R170; A RESOLUTION AUTHORIZING THE CITY MANAGER TO ENTER INTO AND MANAGE AN AGREEMENT BETWEEN THE CITY OF BOERNE AND PROGRESSIVE EMERGENCY PRODUCTS FOR REPAIRS TO BARRICADES.
STAFF'S RECOMMENDED ACTION (be specific)	Approve Resolution No. 2019-R170; entering into an agreement with Progressive Emergency Product for service and repairs to barricades in an amount not to exceed \$23,000.00.
CONTACT PERSON	Fire Chief Doug Meckel
SUMMARY	<p>In FY 18/19 we began the process of servicing and repairing the flood warning barricades throughout the City. We have seven locations, with a total of fourteen barricades (two at each crossing, one on each side of the low water crossing) that still need to be serviced and repaired.</p> <p>These units are approximately fifteen years old and have never been serviced or repaired. The company who built the systems is no longer in business, so finding someone who would perform repairs, servicing and updating was challenging.</p> <p>We located a local company, Progressive Emergency Products, who was willing to perform the servicing and repairs. In FY 18/19 Progressive Emergency Products repaired five barricades, and did good, quality work.</p> <p>In the FY 19/20 budget we have budgeted funds to service and repair additional units in the amount of \$23,000. Staff is recommending to allow Progressive Emergency Products to continue with the needed servicing and repairs on an additional seven barricades, not to exceed \$23,000. This will leave two barricades to be serviced and repaired in FY 20/21.</p>
COST	\$23,000.00
SOURCE OF FUNDS	General Fund
ADDITIONAL INFORMATION	

This summary is not meant to be all inclusive. Supporting documentation is attached.