



## Legislation Details (With Text)

<b>File #:</b>	2022-926	<b>Version:</b>	1	<b>Name:</b>	
<b>Type:</b>	Misc	<b>Status:</b>		Agenda Ready	
<b>File created:</b>	12/5/2022	<b>In control:</b>		Design Review Committee	
<b>On agenda:</b>	12/8/2022	<b>Final action:</b>			
<b>Title:</b>	CONSIDER A PROPOSED SIGN VARIANCE FOR CRESTMONT PRIVATE WEALTH, LOCATED AT 602 S. MAIN ST. (KCAD 21609) TO ALLOW FOR A FREESTANDING MONUMENT SIGN THAT DOES NOT MEET THE MINIMUM HEIGHT REQUIREMENT OF 18 INCHES FOR THE MONUMENT BASE AS STATED IN THE UNIFIED DEVELOPMENT CODE, SECTION 9.7.C.9, STANDARDS BY SIGN TYPE FOR FREESTANDING SIGNS. TAKE NECESSARY ACTION.				
<b>Sponsors:</b>	Laura Haning				
<b>Indexes:</b>					
<b>Code sections:</b>					
<b>Attachments:</b>	1. DRC_AIS_12.8.22, 2. ATT_01, 3. ATT_02, 4. ATT_03, 5. ATT_04, 6. ATT_05, 7. ATT_06				

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------

CONSIDER A PROPOSED SIGN VARIANCE FOR CRESTMONT PRIVATE WEALTH, LOCATED AT 602 S. MAIN ST. (KCAD 21609) TO ALLOW FOR A FREESTANDING MONUMENT SIGN THAT DOES NOT MEET THE MINIMUM HEIGHT REQUIREMENT OF 18 INCHES FOR THE MONUMENT BASE AS STATED IN THE UNIFIED DEVELOPMENT CODE, SECTION 9.7.C.9, STANDARDS BY SIGN TYPE FOR FREESTANDING SIGNS. TAKE NECESSARY ACTION.

### RECOMMENDED VERBIAGE FOR CITY COUNCIL ACTION:

{Administration will fill in}